


NOTE:

MANHOLE DEPTH	DIMENSION	
	A	B
0'-0" TO 15'-0"	3"	6"
OVER 15'-0"	6"	10"

MANHOLE BARRELS RECESSED INTO MANHOLE BASE, ARE TO BE USED IN AREAS WHERE MANHOLE BASES ARE BELOW WATER TABLE

**BELOW WATER TABLE**

- #4 BARS AT 6" O.C. EACH WAY FOR MANHOLE 16' OR GREATER
- #4 BARS AT 12" O.C. EACH WAY FOR MANHOLE LESS THAN 16'




NOTE:

MAINLINE SIZE	MANHOLE DIMENSION
8" TO 18"	4'-0"
18" TO 54"	6'-0"

CONCRETE SHALL BE 5.5 SACK 3500 PSI 28 DAY STRENGTH

**STANDARD**

- #4 BARS AT 6" O.C. EACH WAY FOR MANHOLE 16' OR GREATER
- #4 BARS AT 12" O.C. EACH WAY FOR MANHOLE LESS THAN 16'



**MANHOLE BASES**

STANDARD NO. SS-6

SHEET 1 OF 1

**CONSTRUCTION STANDARDS**

APP'D R. Salcido  
DATE Oct. 11, 2023